Triton GLX 2WD Single Cab / Cab Chassis (Petrol) 2021 MY (Manual)



MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 205R16C 8 PR 110/108R
- Spare wheel type: Full size
- · Wheel size (inches): 16 x 6.0J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 11.4¹
 Type: 2.4L 4G64 MPI Petrol
 CO2 emissions (g/km): 265
 Bore x Stroke (mm): 86.5 x 1000
 Displacement (c): 2261

- · Displacement (cc): 2351
- Fuel type: Petrol
- Maximum power (kW@rpm): 94kW @ 5250rpm Maximum torque (Nm@rpm): 194Nm @ 4000rpm
- · Compression ratio: 9.0:1

Transmission

- · Type: Manual
- · Number of speeds: 5 · Gear ratio 1st: 3.967
- · 2nd: 2.136
- · 3rd: 1.360
- · 4th: 1,000
- 5th: 0.856
- Reverse: 3.578
 Final drive ratio: 4.875

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11.6" LT drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar · Rear suspension: Leaf spring - Heavy duty

AUDIO AND MULTIMEDIA

- · USB input: 1
- · Speakers: 2
- Screen size (inches): 6.1 · CD player
- · Display audio with touchscreen · Bluetooth connectivity with voice control & audio streaming
- · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- · Adjustable speed limiter
- Cruise control · Speed sensitive intermittent windscreen wipers

- Seat Belts
- · Front seat belt pretensioners

Child Safety

- · Power window lock driver control passenger windows
- · Child restraint top tether: 1

Airbags

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
 Curtain SRS airbags
- · Driver knee airbag

Security

- · Auto door lock · Encrypted engine immobiliser
- **Active Safety**
- · Brake Override System (BOS)

- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- Manual temperature control
 Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment · Fabric seat trim

Storage

- · Centre console storage box with lid
- Door pockets front
 Cup holders: 2
- · Bottle holders: 2

Styling

- · Vinyl floor covering
- EXTERIOR
- · Door handles finish: Material black

Rear Body

· Cab chassis

Lights

- · Brake lights: Incandescent
- · Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
 Headlights low beam: Halogen

Door Mirrors

- · Finish: Material black
- · Electric adjustment



DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use. 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



Triton GLX 2WD Single Cab / Cab Chassis (Petrol) 2021 MY (Manual)



DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1775
- Overall length (mm): Dependent on tray fitted
 Overall width (mm): 1815
 Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 200
- Approach angle (degrees): 30.0
 Ramp breakover angle (degrees): 25.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2720
- Kerb mass (kg): 1575
 Gross Combination Mass (GCM) [kg]: 5130 Maximum payload (kg): 1145

- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 2500
 Towing capacity maximum towball load (kg): 250
 Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

Interior Dimensions

- · Front head room (mm): 1030
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430

Cargo

- · Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) all seats up: Dependent on tray fitted
 Cargo body floor height from ground (mm): Dependent on tray fitted
 Cargo room height (mm): Dependent on tray fitted

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.

MITSUBISHI MOTORS **Drive your Ambition**

Triton GLX 2WD Single Cab / Cab Chassis (Diesel) 2021 MY (Automatic)



MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 205R16C 8 PR 110/108R
- Spare wheel type: Full size
- · Wheel size (inches): 16 x 6.0J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.3¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 219
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Automatic
 Number of speeds: 6
- · Gear ratio 1st: 3.600 · 2nd: 2.090
- · 3rd: 1.488
- · 4th: 1,000
- · 5th: 0.687
- · 6th: 0.580
- · Reverse: 3.732
- · Final drive ratio: 4.272

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
 Front suspension: Double wishbone with coil spring & stabiliser bar · Rear suspension: Leaf spring - Heavy duty

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 2
 Screen size (inches): 6.1
- · CD player · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming
- · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers

Seat Belts

· Front seat belt pretensioners

Child Safety

· Power window lock driver control - passenger windows · Child restraint top tether: 1

Airbags

- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
- Curtain SRS airbags
- · Driver knee airbag

equipment, condition and use.

Security

- · Auto door lock · Encrypted engine immobiliser
- **Active Safety**
- · Brake Override System (BOS)

- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- Manual temperature control
 Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment Fabric seat trim

Storage

- · Centre console storage box with lid
- Door pockets front
 Cup holders: 2
- · Bottle holders: 2

Styling

· Vinyl floor covering

EXTERIOR

- · Door handles finish: Material black
- **Rear Body**
- · Cab chassis

Lights

- · Brake lights: Incandescent
- · Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
 Headlights low beam: Halogen

Door Mirrors

- · Finish: Material black
- · Electric adjustment







Triton GLX 2WD Single Cab / Cab Chassis (Diesel) 2021 MY (Automatic)



DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1775
- Overall length (mm): Dependent on tray fitted
 Overall width (mm): 1815
 Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 200
- Approach angle (degrees): 30.0
 Ramp breakover angle (degrees): 25.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2720
- Kerb mass (kg): 1575
 Gross Combination Mass (GCM) [kg]: 5130
- Maximum payload (kg): 1145
- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 2500
 Towing capacity maximum towball load (kg): 250
 Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

Interior Dimensions

- · Front head room (mm): 1030
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430

Cargo

- · Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) all seats up: Dependent on tray fitted
 Cargo body floor height from ground (mm): Dependent on tray fitted
 Cargo room height (mm): Dependent on tray fitted

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX 2WD Single Cab / Cab Chassis (Diesel) 2021 MY (Manual)



MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 205R16C 8PR 110/108R
- Spare wheel type: Full size
- · Wheel size (inches): 16 x 6.0J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 7.8¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 204
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 244

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- · Type: Manual
- · Number of speeds: 6
- · Gear ratio 1st: 4.280
- · 2nd: 2.298 · 3rd: 1,437
- · 4th: 1,000
- · 5th: 0.776
- · 6th: 0.651
- · Reverse: 3.959
- · Final drive ratio: 3.692

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
 Front suspension: Double wishbone with coil spring & stabiliser bar · Rear suspension: Leaf spring - Heavy duty

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 2
 Screen size (inches): 6.1
- · CD player · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming
- · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers

Seat Belts

· Front seat belt pretensioners

Child Safety

· Power window lock driver control - passenger windows · Child restraint top tether: 1

Airbags

- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
- Curtain SRS airbags
- · Driver knee airbag

equipment, condition and use.

Security

- · Auto door lock · Encrypted engine immobiliser
- **Active Safety**
- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- Manual temperature control
 Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment Fabric seat trim

Storage

- · Centre console storage box with lid
- Door pockets front
 Cup holders: 2
- · Bottle holders: 2

Styling

· Vinyl floor covering

EXTERIOR

- · Door handles finish: Material black
- **Rear Body**
- · Cab chassis

Lights

fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

- · Brake lights: Incandescent
- · Daytime Running Lamps (DRL)
- Headlights high beam: Halogen
 Headlights low beam: Halogen

Door Mirrors

- · Finish: Material black
- · Electric adjustment



DISCLAIMER KEY: 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the



Triton GLX 2WD Single Cab / Cab Chassis (Diesel) 2021 MY (Manual)



DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1775
- Overall length (mm): Dependent on tray fitted
 Overall width (mm): 1815
 Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 200
- Approach angle (degrees): 30.0
 Ramp breakover angle (degrees): 25.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2720
- Kerb mass (kg): 1570
 Gross Combination Mass (GCM) [kg]: 5130
- Maximum payload (kg): 1150
- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 2500
 Towing capacity maximum towball load (kg): 250
 Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

Interior Dimensions

- · Front head room (mm): 1030
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430

Cargo

- · Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) all seats up: Dependent on tray fitted
 Cargo body floor height from ground (mm): Dependent on tray fitted
 Cargo room height (mm): Dependent on tray fitted

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.

MITSUBISHI MOTORS **Drive your Ambition**

Triton GLX ADAS 2WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/70R16 111S RF
- Spare wheel type: Full size
- · Wheel size (inches): 16 x 7.0J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.4¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 220
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Automatic
 Number of speeds: 6
- · Gear ratio 1st: 3.600
- · 2nd: 2.090 · 3rd: 1.488
- · 4th: 1,000
- · 5th: 0.687
- · 6th: 0.580
- · Reverse: 3.732
- · Final drive ratio: 4.272

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
 Front suspension: Double wishbone with coil spring & stabiliser bar · Rear suspension: Leaf spring - Heavy duty

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 4
 Screen size (inches): 6.1
- · CD player
- · Display audio with touchscreen · Bluetooth connectivity with voice control & audio streaming
- · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- · Electrochromatic rear view mirror
- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- · Automatic dusk sensing headlights

Parking Assistance

- Rear parking sensors
 Rear view camera

Seat Belts

· Front seat belt pretensioners

Child Safety

DISCLAIMER KEY:

- · ISO-Fix child seat anchorage: 2
- Child proof rear door locks

equipment, condition and use.

· Power window lock driver control - passenger windows

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

· Child restraint top tether: 2

Airbags

- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
- · Curtain SRS airbags · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)

- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
 Anti-lock Braking System (ABS)
 Electronic Brakeforce Distribution (EBD)

- Active Stability Control (ASC)
 Active Traction Control (ATC)
- Hill Start Assist (HSA)
 Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Manual temperature control
- · Dust and pollen filter
- Tilt & telescopic steering column
- Multifunction steering wheel controls
 Side and rear window demisters
- · Keyless entry with central door locking · Auto up/down driver control - driver side window
- · Accessory socket (12V): 2

INTERIOR

Seating

- Driver's seat manual adjustment
- · Front passenger's seat manual adjustment
- Fabric seat trim · 2nd row centre armrest with cupholders

Storage

- · Centre console storage box with lid
- Door pockets front
 Cup holders: 4
- Bottle holders: 4

· Vinyl floor covering

EXTERIOR

Rear Body

Lights · Brake lights: LED

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

- Sunglasses storage
- · Seat back pocket driver and passenger

· Door handles finish: Material black

Daytime Running Lamps (DRL): Halogen
Headlights high beam: Halogen
Fog lights (front): Halogen
Headlights low beam: Halogen

MITSUBISH MOTORS **Drive vour Ambition**

· Rear step bumper: Silver Tray tie-down points: 6 · Rear window guard

Styling



Triton GLX ADAS 2WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



Door Mirrors

· Finish: Material black · Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
 Overall length (mm): 5305

- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
- · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2810 Kerb mass (kg): 1850
- Gross Combination Mass (GCM) [kg]: 5705
- Maximum payload (kg): 960
- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3000
 Towing capacity maximum towball load (kg): 300
- Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- · 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
 Front leg room (mm): 1067
 Front shoulder room (mm): 1430

- · 2nd row leg room (mm): 860

Cargo

- Cargo room width (mm): 1470
 Width between wheel arches (mm): 1085
- · Cargo room length (mm) all seats up: 1520 • Cargo body floor height from ground (mm): 850 • Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)



MITSUBISH MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L
- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 7.9¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Manual
- · Easy select 4WD
- Number of speeds: 6
 Gear ratio 1st: 4.280
- · 2nd: 2.298
- · 3rd: 1.437
- · 4th: 1.000 · 5th: 0.776
- · 6th: 0.651
- · Reverse: 3.959
- · Final drive ratio: 3.692
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
 Front suspension: Double wishbone with coil spring & stabiliser bar
 Rear suspension: Leaf spring Heavy duty
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 4 · Screen size (inches): 6.1
- · CD player
- · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers

Parking Assistance

- · Rear parking sensors
- · Rear view camera

Seat Belts

DISCLAIMER KEY:

equipment, condition and use.

· Front seat belt pretensioners

Child Safety

- ISO-Fix child seat anchorage: 2
 Child proof rear door locks
- · Power window lock driver control passenger windows
- · Child restraint top tether: 2

Airbags

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- · Driver knee airbag

Security

- · Auto door lock · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Manual temperature control
- · Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- · Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment
- Fabric seat trim
- · 2nd row centre armrest with cupholders

Storage

- · Centre console storage box with lid
- Door pockets front
- Cup holders: 4
- Bottle holders: 4

· Vinyl floor covering

EXTERIOR

Rear Body

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

· Rear step bumper: Silver

 Tray tie-down points: 6 · Rear window guard

Sunglasses storage
 Seat back pocket - driver and passenger

· Door handles finish: Material black

Styling



Triton GLX 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)

Lights

- Brake lights: LED
 Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen
- · Headlights low beam: Halogen

Door Mirrors

- · Finish: Material black
- · Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
 Overall length (mm): 5305
- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
- · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900 Kerb mass (kg): 1950
- · Gross Combination Mass (GCM) [kg]: 5885

- Maximum payload (kg): 950 Towing capacity unbraked (kg): 750 Towing capacity braked (kg): 3100 Towing capacity maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
 Front leg room (mm): 1067
 Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

Cargo

- Cargo room width (mm): 1470
 Width between wheel arches (mm): 1085
 Cargo room length (mm) all seats up: 1520
- Cargo body floor height from ground (mm): 850 Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX 4WD Double Cab / Cab Chassis (Diesel) 2021 MY (Manual)



MITSUBISH MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size
 Wheel size (inches): 16 x 7.0J

Engine

· Size (L): 2.4L

- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 7.9¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- · Bore x Stroke (mm): 86.0 x 105.1 Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

- Transmission
- · Type: Manual
- · Easy select 4WD
- Number of speeds: 6 · Gear ratio 1st: 4.280
- · 2nd: 2.298
- · 3rd: 1,437
- 4th: 1,000 5th: 0.776
- · 6th: 0.651
- · Reverse: 3.959
- Final drive ratio: 3.692 · 4WD transfer box - High / Low ratio: 1.000 / 2.566
- Chassis
- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
 Front suspension: Double wishbone with coil spring & stabiliser bar
 Rear suspension: Leaf spring Heavy duty
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 4 · Screen size (inches): 6.1
- · CD player

· AM/FM radio

- · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers

Seat Belts

DISCLAIMER KEY:

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage: 2
- · Child proof rear door locks
- Power window lock driver control passenger windows

Child restraint top tether: 2

equipment, condition and use.

- Airbags
- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
- · Curtain SRS airbags · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- Manual temperature control
 Dust and pollen filter
- Tilt & telescopic steering column
- Multifunction steering wheel controls · Side and rear window demisters
- Keyless entry with central door locking
- · Auto up/down driver control driver side window
- · Accessory socket (12V): 2

INTERIOR

Seating

- Driver's seat manual adjustment
 Front passenger's seat manual adjustment
- · Fabric seat trim · 2nd row centre armrest with cupholders

Storage

- · Centre console storage box with lid
- Door pockets front
- Cup holders: 4
- · Bottle holders: 4
- Sunglasses storage
 Seat back pocket driver and passenger

· Brake lights: Incandescent

· Headlights high beam: Halogen

Headlights low beam: Halogen

Styling

· Vinyl floor covering

EXTERIOR

· Door handles finish: Material black

· Daytime Running Lamps (DRL): Halogen

Rear Body · Cab chassis

Door Mirrors · Finish: Material black · Electric adjustment

Lights

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's



Triton GLX 4WD Double Cab / Cab Chassis (Diesel) 2021 MY (Manual)



DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
- Overall length (mm): Dependent on tray fitted
 Overall width (mm): 1815
 Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
 Ramp breakover angle (degrees): 25.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2900
- Kerb mass (kg): 1805
 Gross Combination Mass (GCM) [kg]: 5885
 Maximum payload (kg): 1095

- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
 Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

Interior Dimensions

- 2nd row head room (mm): 970
 2nd row shoulder room (mm): 1390
- · Front head room (mm): 1020
- · Front leg room (mm): 1067
- · Front shoulder room (mm): 1430 · 2nd row leg room (mm): 860

Cargo

- · Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) all seats up: Dependent on tray fitted
 Cargo body floor height from ground (mm): Dependent on tray fitted
- · Cargo room height (mm): Dependent on tray fitted

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



MITSUBISHI MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L
- Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Automatic
- · Manual shift mode
- · Easy select 4WD
- · Number of speeds: 6
- · Gear ratio 1st: 3.600
- · 2nd: 2.090
- 3rd: 1.488 4th: 1.000
- · 5th: 0.687
- · 6th: 0.580
- · Reverse: 3,732
- · Final drive ratio: 4.272 · 4WD transfer box - High / Low ratio: 1.000 / 2.566
- Chassis
- · Front brakes: Ventilated disc
- · Rear brakes: 11 6" I T drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring Heavy duty
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- · CD player · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Adjustable speed limiter
- · Cruise control · Speed sensitive intermittent windscreen wipers

Parking Assistance

- Rear parking sensors
- · Rear view camera

equipment, condition and use.

Seat Belts

DISCLAIMER KEY:

· Front seat belt pretensioners

Child Safety

- ISO-Fix child seat anchorage: 2
 Child proof rear door locks
- · Power window lock driver control passenger windows · Child restraint top tether: 2
- Airbags
- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- · Driver knee airbag

Security

- · Auto door lock · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Manual temperature control
- · Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- · Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment
- Fabric seat trim · 2nd row centre armrest with cupholders

Storage

- · Centre console storage box with lid
- Door pockets front Cup holders: 4
- Bottle holders: 4

· Vinyl floor covering EXTERIOR

Rear Body

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

· Rear step bumper: Silver

 Tray tie-down points: 6 · Rear window guard

Sunglasses storage
 Seat back pocket - driver and passenger

· Door handles finish: Material black

Styling



Triton GLX 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



Lights

- Brake lights: LED
 Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen
- · Headlights low beam: Halogen

Door Mirrors

- · Finish: Material black
- · Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
 Overall length (mm): 5305
- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
- · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900 Kerb mass (kg): 1955
- · Gross Combination Mass (GCM) [kg]: 5885

- Maximum payload (kg): 945 Towing capacity unbraked (kg): 750 Towing capacity braked (kg): 3100 Towing capacity maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

Cargo

- Cargo room width (mm): 1470
 Width between wheel arches (mm): 1085
 Cargo room length (mm) all seats up: 1520
- Cargo body floor height from ground (mm): 850 Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX 4WD Club Cab / Cab Chassis (Diesel) 2021 MY (Manual)



MITSUBISH MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L
- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 7.9¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Manual
- · Easy select 4WD
- Number of speeds: 6
 Gear ratio 1st: 4.280
- · 2nd: 2.298
- · 3rd: 1.437
- · 4th: 1.000 · 5th: 0.776
- · 6th: 0.651
- · Reverse: 3.959
- · Final drive ratio: 3.692
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
 Front suspension: Double wishbone with coil spring & stabiliser bar
 Rear suspension: Leaf spring Heavy duty
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 2 · Screen size (inches): 6.1
- · CD player
- · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers

Seat Belts

· Front seat belt pretensioners

Child Safety

· Power window lock driver control - passenger windows

Airbags

DISCLAIMER KEY:

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
 Curtain SRS airbags
- · Driver knee airbag

equipment, condition and use.

Security

- · Auto door lock · Encrypted engine immobiliser
- **Active Safety**
- · Brake Override System (BOS)

- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- Manual temperature control
 Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment Fabric seat trim

Storage

- · Centre console storage box with lid
- Door pockets front
 Cup holders: 2
- Bottle holders: 4
- Sunglasses storage
 Seat back pocket driver and passenger
- · Rear floor storage box

Styling

· Vinyl floor covering

EXTERIOR

· Door handles finish: Material black

Rear Body

· Cab chassis

Lights

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

Door Mirrors · Finish: Material black

· Electric adjustment

- · Brake lights: Incandescent
- Daytime Running Lamps (DRL)
 Headlights high beam: Halogen · Headlights low beam: Halogen



Triton GLX 4WD Club Cab / Cab Chassis (Diesel) 2021 MY (Manual)



DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
- Overall length (mm): Dependent on tray fitted
 Overall width (mm): 1815
 Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
 Ramp breakover angle (degrees): 25.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2900
- Kerb mass (kg): 1775
 Gross Combination Mass (GCM) [kg]: 5785 Maximum payload (kg): 1125

- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3000
 Towing capacity braked (kg): 3000
 Towing capacity maximum towball load (kg): 300
 Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

Interior Dimensions

- 2nd row head room (mm): 924
 2nd row shoulder room (mm): 1368
- · Front head room (mm): 1020
- · Front leg room (mm): 1067
- Front shoulder room (mm): 1430
 2nd row leg room (mm): 725

Cargo

- · Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) all seats up: Dependent on tray fitted
 Cargo body floor height from ground (mm): Dependent on tray fitted
- · Cargo room height (mm): Dependent on tray fitted

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX 4WD DID 4WD Single Cab / Cab Chassis (Diesel) 2021 MY (Manual)



MITSUBISHI MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/65R17 111S
- Spare wheel type: Full size
- · Wheel size (inches): 17 x 7.5J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 7.9¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 208
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Manual
 Easy select 4WD
- · Number of speeds: 6
- Gear ratio 1st: 4.280
 2nd: 2.298
- · 3rd: 1,437
- · 4th: 1,000
- 5th: 0.776 6th: 0.651
- · Reverse: 3.959
- Final drive ratio: 3.692
 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring Heavy duty
- Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 2
 Screen size (inches): 6.1
- · CD player
- · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming

· AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers

Seat Belts

· Front seat belt pretensioners

Child Safety

- · Power window lock driver control passenger windows
- · Child restraint top tether: 1

Airbags

DISCLAIMER KEY:

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
 Curtain SRS airbags
- · Driver knee airbag

equipment, condition and use.

Security

· Auto door lock · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- Manual temperature control
 Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment · Fabric seat trim

Storage

- · Centre console storage box with lid
- Door pockets front
 Cup holders: 2
- · Bottle holders: 2

Styling

· Vinyl floor covering

EXTERIOR

· Door handles finish: Material black

Rear Body

· Cab chassis

Door Mirrors

· Finish: Material black

· Electric adjustment

Lights

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

- · Brake lights: Incandescent
- · Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
 Headlights low beam: Halogen



Triton GLX 4WD DID 4WD Single Cab / Cab Chassis (Diesel) 2021 MY (Manual)



DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1785
- Overall length (mm): Dependent on tray fitted
 Overall width (mm): 1815
 Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
 Ramp breakover angle (degrees): 25.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2900
- Kerb mass (kg): 1680
 Gross Combination Mass (GCM) [kg]: 5785
 Maximum payload (kg): 1220

- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3000
 Towing capacity maximum towball load (kg): 300
 Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

Interior Dimensions

- · Front head room (mm): 1030
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430

Cargo

- · Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) all seats up: Dependent on tray fitted
 Cargo body floor height from ground (mm): Dependent on tray fitted
 Cargo room height (mm): Dependent on tray fitted

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX 4WD DID 4WD Single Cab / Cab Chassis (Diesel) 2021 MY (Automatic)



MITSUBISH MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/65R17 111S
- Spare wheel type: Full size
- · Wheel size (inches): 17 x 7.5J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 225
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Automatic
 Easy select 4WD
- · Number of speeds: 6
- Gear ratio 1st: 3.600 2nd: 2.090
- · 3rd: 1,488
- · 4th: 1,000
- · 5th: 0.687 · 6th: 0.580
- · Reverse: 3.732
- Final drive ratio: 4.272
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring Heavy duty
- Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 2
 Screen size (inches): 6.1
- · CD player
- · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming

· AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers

Seat Belts

· Front seat belt pretensioners

Child Safety

- · Power window lock driver control passenger windows
- · Child restraint top tether: 1

Airbags

DISCLAIMER KEY:

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
 Curtain SRS airbags
- · Driver knee airbag

equipment, condition and use.

Security

- · Auto door lock · Encrypted engine immobiliser
- **Active Safety**
- · Brake Override System (BOS)

- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- Manual temperature control
 Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment · Fabric seat trim

Storage

- · Centre console storage box with lid
- Door pockets front
 Cup holders: 2
- · Bottle holders: 2

Styling

· Vinyl floor covering

EXTERIOR

- · Door handles finish: Material black
- **Rear Body**
- · Cab chassis

Lights

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

- · Brake lights: Incandescent
- · Daytime Running Lamps (DRL)
- Headlights high beam: Halogen
 Headlights low beam: Halogen
- **Door Mirrors** · Finish: Material black

· Electric adjustment



Triton GLX 4WD DID 4WD Single Cab / Cab Chassis (Diesel) 2021 MY (Automatic)



DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1785
- Overall length (mm): Dependent on tray fitted
 Overall width (mm): 1815
 Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
 Ramp breakover angle (degrees): 25.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2900
- Kerb mass (kg): 1680
 Gross Combination Mass (GCM) [kg]: 5785
- Maximum payload (kg): 1220

- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3000
 Towing capacity maximum towball load (kg): 300
 Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

Interior Dimensions

- · Front head room (mm): 1030
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430

Cargo

- · Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) all seats up: Dependent on tray fitted
 Cargo body floor height from ground (mm): Dependent on tray fitted
 Cargo room height (mm): Dependent on tray fitted

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX ADAS 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



MITSUBISHI MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L
- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Automatic
- · Manual shift mode
- · Easy select 4WD
- · Number of speeds: 6 · Gear ratio 1st: 3.600
- · 2nd: 2.090
- 3rd: 1.488 4th: 1.000
- · 5th: 0.687
- · 6th: 0.580
- · Reverse: 3,732
- · Final drive ratio: 4.272
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11 6" I T drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring Heavy duty · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- · CD player
- · Display audio with touchscreen · Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Electrochromatic rear view mirror
- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
 Automatic dusk sensing headlights

Parking Assistance

- · Rear parking sensors
- · Rear view camera

equipment, condition and use.

Seat Belts

DISCLAIMER KEY:

· Front seat belt pretensioners

Child Safety

- ISO-Fix child seat anchorage: 2
 Child proof rear door locks
- · Power window lock driver control passenger windows
- · Child restraint top tether: 2

Airbags

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags · Driver knee airbag

Security

- · Auto door lock · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- · Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
 Electronic Brakeforce Distribution (EBD)
- · Active Stability Control (ASC)
- Active Traction Control (ATC)
 Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Manual temperature control
- · Dust and pollen filter
- Tilt & telescopic steering column
 Multifunction steering wheel controls
- Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment
- · Fabric seat trim · 2nd row centre armrest with cupholders

Storage

Centre console storage box with lid

· Seat back pocket - driver and passenger

· Door handles finish: Material black

- Door pockets front
 Cup holders: 4
- Bottle holders: 4

Styling

Sunglasses storage

· Vinyl floor covering

EXTERIOR

Rear Body

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

· Rear step bumper: Silver

Tray tie-down points: 6

Rear window guard



Triton GLX ADAS 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



Lights

- Brake lights: LED
 Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen
- · Headlights low beam: Halogen

Door Mirrors

- · Finish: Material black
- · Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
 Overall length (mm): 5305
- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
- · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900 Kerb mass (kg): 1955
- · Gross Combination Mass (GCM) [kg]: 5885

- Maximum payload (kg): 945 Towing capacity unbraked (kg): 750 Towing capacity braked (kg): 3100 Towing capacity maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430 2nd row leg room (mm): 860
- Cargo
- Cargo room width (mm): 1470
 Width between wheel arches (mm): 1085
- · Cargo room length (mm) all seats up: 1520
- Cargo body floor height from ground (mm): 850 Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX ADAS 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)



MITSUBISH MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L
- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 7.9¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Manual
- · Easy select 4WD
- Number of speeds: 6
 Gear ratio 1st: 4.280
- · 2nd: 2.298
- · 3rd: 1.437
- · 4th: 1.000 · 5th: 0.776
- · 6th: 0.651
- · Reverse: 3.959
- · Final drive ratio: 3.692
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
 Front suspension: Double wishbone with coil spring & stabiliser bar
 Rear suspension: Leaf spring Heavy duty
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 4 · Screen size (inches): 6.1
- · CD player
- · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Electrochromatic rear view mirror
- · Adjustable speed limiter
- · Cruise control
- Speed sensitive intermittent windscreen wipers
- · Automatic rain sensing wipers
- · Automatic dusk sensing headlights

Parking Assistance

- · Rear parking sensors
- · Rear view camera

equipment, condition and use

Seat Belts

DISCLAIMER KEY:

· Front seat belt pretensioners

Child Safety

- ISO-Fix child seat anchorage: 2
 Child proof rear door locks
- · Power window lock driver control passenger windows
- · Child restraint top tether: 2

Airbags

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- · Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
 Electronic Brakeforce Distribution (EBD)
- · Active Stability Control (ASC)
- Active Traction Control (ATC)
 Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Manual temperature control
- · Dust and pollen filter
- Tilt & telescopic steering column
 Multifunction steering wheel controls
- Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment
- · Fabric seat trim · 2nd row centre armrest with cupholders

Storage

Centre console storage box with lid

· Door handles finish: Material black

· Seat back pocket - driver and passenger

- Door pockets front
 Cup holders: 4

· Vinyl floor covering

EXTERIOR

Rear Body

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

· Rear step bumper: Silver

 Tray tie-down points: 6 · Rear window quard

Bottle holders: 4 Sunglasses storage

Styling



Triton GLX ADAS 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)



Lights

- Brake lights: LED
 Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen
- Fog lights (front): Halogen
 Headlights low beam: Halogen

Door Mirrors

· Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
 Overall length (mm): 5305
- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
- · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900 Kerb mass (kg): 1950
- · Gross Combination Mass (GCM) [kg]: 5885

- Maximum payload (kg): 950 Towing capacity unbraked (kg): 750 Towing capacity braked (kg): 3100 Towing capacity maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- · Front leg room (mm): 1067
- · Front shoulder room (mm): 1430 2nd row leg room (mm): 860

Cargo

- Cargo room width (mm): 1470
 Width between wheel arches (mm): 1085
- · Cargo room length (mm) all seats up: 1520
- Cargo body floor height from ground (mm): 850 Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX ADAS 4WD Double Cab / Cab Chassis (Diesel) 2021 MY (Automatic)



MITSUBISH MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L
- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Automatic
- · Manual shift mode
- · Easy select 4WD
- · Number of speeds: 6 · Gear ratio 1st: 3.600
- · 2nd: 2.090
- 3rd: 1.488 4th: 1,000
- · 5th: 0.687
- · 6th: 0.580
- · Reverse: 3,732
- · Final drive ratio: 4.272
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11 6" I T drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring Heavy duty · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- · CD player
- · Display audio with touchscreen · Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Electrochromatic rear view mirror
- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
 Automatic dusk sensing headlights

Seat Belts

· Front seat belt pretensioners

Child Safety

DISCLAIMER KEY:

- · ISO-Fix child seat anchorage: 2
- Child proof rear door locks

equipment, condition and use.

- · Power window lock driver control passenger windows
- · Child restraint top tether: 2

Airbags

- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
- · Curtain SRS airbags · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
 Anti-lock Braking System (ABS)
 Electronic Brakeforce Distribution (EBD)

- Active Stability Control (ASC)
 Active Traction Control (ATC)
- Hill Start Assist (HSA)
 Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Manual temperature control
- · Dust and pollen filter
- · Tilt & telescopic steering column
- Multifunction steering wheel controls
 Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window · Accessory socket (12V): 2

INTERIOR

Seating

- Driver's seat manual adjustment
- · Front passenger's seat manual adjustment Fabric seat trim
- · 2nd row centre armrest with cupholders

Storage

Styling

- · Centre console storage box with lid
- Door pockets front
 Cup holders: 4
- Bottle holders: 4

· Vinyl floor covering

EXTERIOR

Rear Body

· Cab chassis Lights

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

- Sunglasses storage
- · Seat back pocket driver and passenger

· Door handles finish: Material black

Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen

· Brake lights: Incandescent

Fog lights (front): Halogen

Headlights low beam: Halogen



Triton GLX ADAS 4WD Double Cab / Cab Chassis (Diesel) 2021 MY (Automatic)



Door Mirrors

· Finish: Material black · Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
 Overall length (mm): Dependent on tray fitted
- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
- · Ramp breakover angle (degrees): 24.5

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900 Kerb mass (kg): 1815
- Gross Combination Mass (GCM) [kg]: 5885

- Maximum payload (kg): 1085 Towing capacity unbraked (kg): 750 Towing capacity braked (kg): 3100 Towing capacity maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- · 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
 Front leg room (mm): 1067
 Front shoulder room (mm): 1430

- · 2nd row leg room (mm): 860

Cargo

- Cargo room width (mm): Dependent on tray fitted
 Cargo room length (mm) all seats up: Dependent on tray fitted
 Cargo body floor height from ground (mm): Dependent on tray fitted
- · Cargo room height (mm): Dependent on tray fitted

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft Tonneau Accessory Pack

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX ADAS 4WD Club Cab / Cab Chassis (Diesel) 2021 MY (Automatic)



MITSUBISH MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Steel
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L
- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Automatic
- · Manual shift mode
- · Easy select 4WD
- · Number of speeds: 6 · Gear ratio 1st: 3.600
- · 2nd: 2.090
- 3rd: 1,488 4th: 1,000
- · 5th: 0.687
- · 6th: 0.580
- · Reverse: 3,732 · Final drive ratio: 4.272
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11 6" I T drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring Heavy duty · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- · CD player
- · Display audio with touchscreen
- · Bluetooth connectivity with voice control & audio streaming AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Electrochromatic rear view mirror
- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
 Automatic dusk sensing headlights

Seat Belts

· Front seat belt pretensioners

Child Safety

DISCLAIMER KEY:

equipment, condition and use.

· Power window lock driver control - passenger windows

Airbags

- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
- · Curtain SRS airbags · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
 Anti-lock Braking System (ABS)
 Electronic Brakeforce Distribution (EBD)

- Active Stability Control (ASC)
 Active Traction Control (ATC)
- Hill Start Assist (HSA)
 Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Manual temperature control
- · Dust and pollen filter
- · Tilt & telescopic steering column
- Multifunction steering wheel controls
 Side and rear window demisters
- · Keyless entry with central door locking
- · Auto up/down driver control driver side window · Accessory socket (12V): 2

INTERIOR

Seating

- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment

Fabric seat trim

Storage

- · Centre console storage box with lid
- · Door pockets front
- Cup holders: 2
 Bottle holders: 4
- Sunglasses storage
- Seat back pocket driver and passenger Rear floor storage box

Styling

· Vinyl floor covering

EXTERIOR

· Door handles finish: Material black

Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen

· Brake lights: Incandescent

Fog lights (front): Halogen

· Headlights low beam: Halogen

Rear Body · Cab chassis

Lights

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's



Triton GLX ADAS 4WD Club Cab / Cab Chassis (Diesel) 2021 MY (Automatic)



Door Mirrors

· Finish: Material black · Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
 Overall length (mm): Dependent on tray fitted
- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 205
- Approach angle (degrees): 30.0
- · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900 Kerb mass (kg): 1780
- Gross Combination Mass (GCM) [kg]: 5785

- Maximum payload (kg): 1120 Towing capacity unbraked (kg): 750 Towing capacity braked (kg): 3000 Towing capacity maximum towball load (kg): 300
- Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 924
- · 2nd row shoulder room (mm): 1368
- Front head room (mm): 1020
 Front leg room (mm): 1067
 Front shoulder room (mm): 1430

- · 2nd row leg room (mm): 725

Cargo

- Cargo room width (mm): Dependent on tray fitted
 Cargo room length (mm) all seats up: Dependent on tray fitted
 Cargo body floor height from ground (mm): Dependent on tray fitted
- · Cargo room height (mm): Dependent on tray fitted

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft Tonneau Accessory Pack

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX+ 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



MITSUBISHI MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size Steel
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L
- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Automatic
- · Manual shift mode
- Easy select 4WD
 Rear differential lock
- · Number of speeds: 6
- · Gear ratio 1st: 3.600
- 2nd: 2.090 3rd: 1.488
- · 4th: 1.000
- · 5th: 0.687
- · 6th: 0.580
- · Reverse: 3.732
- · Final drive ratio: 4.272
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- Front brakes: Ventilated disc
 Rear brakes: 11.6" LT drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring Heavy duty
 Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 2
- · Smartphone link Display Audio (SDA) with touch screen
- Android Auto
 Apple CarPlay
- · Speakers: 4
- · Screen size (inches): 7.0 · Digital Audio Broadcast (DAB) radio
- · Bluetooth connectivity with voice control & audio streaming
- · HDMI input: 1
- · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

- **Driver Assistance**
- · Electrochromatic rear view mirror
- Adjustable speed limiter
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
 Automatic dusk sensing headlights

Parking Assistance

· Rear parking sensors

equipment, condition and use

· Rear view camera

DISCLAIMER KEY:

Seat Belts

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage: 2
- · Child proof rear door locks
- · Power window lock driver control passenger windows · Child restraint top tether: 2
- Airbags
- · Driver & front passenger SRS airbags
- · Driver & front passenger side SRS airbags
- · Curtain SRS airbags
- · Driver knee airbag

Security

· Auto door lock

· Encrypted engine immobiliser

Active Safety

- Brake Override System (BOS)
 Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
 Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Climate control (No of zones): 1
- · Roof mounted air circulator
- · Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- · Side and rear window demisters Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Fabric seat trim

Cup holders: 4

Bottle holders: 4

EXTERIOR

· Side steps: Silver

· Leather bound park brake Vinyl floor covering

· Door handles finish: Material black

Seating

Storage

Styling

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

Driver's seat manual adjustment
 Front passenger's seat manual adjustment

· 2nd row centre armrest with cupholders

Sunglasses storage
 Seat back pocket - driver and passenger

Centre console storage box with lid
 Door pockets - front



Triton GLX+ 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



Rear Body

- Rear step bumper: Silver
 Tray tie-down points: 6

Lights

- · Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen
- · Fog lights (front): Halogen
- · Headlights low beam: Halogen

Door Mirrors

- · Finish: Material black
- · Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8 Overall height (mm): 1780 Overall length (mm): 5305 Overall width (mm): 1815

- · Wheelbase (mm): 3000
- Ground clearance (mm) minimum, unladen: 205
 Approach angle (degrees): 30.0
 Ramp breakover angle (degrees): 24.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2900
- Kerb mass (kg): 1955
 Gross Combination Mass (GCM) [kg]: 5885
- Maximum payload (kg): 945
- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- · 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430
- · 2nd row leg room (mm): 860

Cargo

- · Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
 Cargo room length (mm) all seats up: 1520
 Cargo body floor height from ground (mm): 850

· Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX+ 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)



MITSUBISHI MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size Steel
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L

- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 7.9¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442 Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Manual
- · Easy select 4WD
- · Rear differential lock
- Number of speeds: 6
- · Gear ratio 1st: 4.280
- · 2nd: 2.298
- · 3rd: 1.437 · 4th: 1.000
- · 5th: 0.776
- · 6th: 0.651
- · Reverse: 3,959
- · Final drive ratio: 3.692
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11 6" I T drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring Heavy duty
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
 Speakers: 4
- Screen size (inches): 7.0 Digital Audio Broadcast (DAB) radio
- · Bluetooth connectivity with voice control & audio streaming
- · HDMI input: 1
- · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Electrochromatic rear view mirror
- · Adjustable speed limiter
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
 Automatic dusk sensing headlights

Parking Assistance

· Rear parking sensors

· Rear view camera

equipment, condition and use

DISCLAIMER KEY:

Seat Belts

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage
- · Child proof rear door locks
- · Power window lock driver control passenger windows · Child restraint top tether
- Airbags
- · Driver & front passenger SRS airbags · Driver & front passenger side SRS airbags
- · Curtain SRS airbags
- · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- Brake Override System (BOS)
 Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
 Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Climate control (No of zones): 1
- Roof mounted air circulator
- · Dust and pollen filter
- Tilt & telescopic steering column
- · Multifunction steering wheel controls
- · Side and rear window demisters Keyless entry with central door locking
- · Auto up/down driver control driver side window
- Accessory socket (12V): 2

INTERIOR

Seating

- Driver's seat manual adjustment
 Front passenger's seat manual adjustment
- Fabric seat trim
- · 2nd row centre armrest with cupholders

Sunglasses storage
 Seat back pocket - driver and passenger

Storage Centre console storage box with lid Door pockets - front

Styling

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

· Cup holders: 4

EXTERIOR

· Side steps: Silver

Bottle holders: 4

· Leather bound park brake Vinyl floor covering

· Door handles finish: Material black



Triton GLX+ 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)



Rear Body

- Rear step bumper: Silver
 Tray tie-down points: 6

Lights

- · Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen
- · Fog lights (front): Halogen
- · Headlights low beam: Halogen

Door Mirrors

- · Finish: Material black
- · Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 22.0
- Departure angle (degrees), 22:0 Turning circle, kerb to kerb (m): 11.8 Overall height (mm): 1780 Overall length (mm): 5305 Overall width (mm): 1815

- · Wheelbase (mm): 3000
- Ground clearance (mm) minimum, unladen: 205
 Approach angle (degrees): 30.0
 Ramp breakover angle (degrees): 24.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2900
- Kerb mass (kg): 1955
 Gross Combination Mass (GCM) [kg]: 5885
- Maximum payload (kg): 945
- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- · 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430
- · 2nd row leg room (mm): 860

Cargo

- · Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
 Cargo room length (mm) all seats up: 1520
 Cargo body floor height from ground (mm): 850
- · Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX+ 4WD Club Cab / Pick Up (Diesel) 2021 MY (Automatic)



MITSUBISH MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy
- · Tyre size: 245/70R16 111S RF
- · Tyre type: All Terrain
- Spare wheel type: Full size Steel
 Wheel size (inches): 16 x 7.0J

Engine

- · Size (L): 2.4L
- Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- · Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm · Maximum torque (Nm@rpm): 430Nm @ 2500rpm · Compression ratio: 15.5:1

Transmission

- · Type: Automatic
- · Manual shift mode
- Easy select 4WD
 Rear differential lock
- · Number of speeds: 6
- · Gear ratio 1st: 3.600
- 2nd: 2.090 3rd: 1.488
- · 4th: 1.000
- · 5th: 0.687
- · 6th: 0.580
- · Reverse: 3.732
- · Final drive ratio: 4.272
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- Front brakes: Ventilated disc
 Rear brakes: 11.6" LT drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring Heavy duty
 Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 2
- · Smartphone link Display Audio (SDA) with touch screen
- Android Auto
 Apple CarPlay
- · Speakers: 4 · Screen size (inches): 7.0
- · Digital Audio Broadcast (DAB) radio
- · Bluetooth connectivity with voice control & audio streaming
- · HDMI input: 1
- · AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Electrochromatic rear view mirror
- Adjustable speed limiter
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
 Automatic dusk sensing headlights

Parking Assistance

· Rear parking sensors

equipment, condition and use.

· Rear view camera

DISCLAIMER KEY:

Seat Belts

· Front seat belt pretensioners

Child Safety

· Power window lock driver control - passenger windows

Airbags

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
 Curtain SRS airbags
- · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- Brake Override System (BOS)
 Trailer Stability Assist (TSA)

- Emergency Stop Signal function (ESS)
 Lane Departure Warning (LDW)
 Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Climate control (No of zones): 1
- · Dust and pollen filter
- · Tilt & telescopic steering column
- · Multifunction steering wheel controls
- Side and rear window demisters
- · Keyless entry with central door locking · Auto up/down driver control - driver side window
- · Accessory socket (12V): 2

INTERIOR

Seating

· Driver's seat manual adjustment

· Centre console storage box with lid

Seat back pocket - driver and passenger
 Rear floor storage box

- Front passenger's seat manual adjustment Fabric seat trim
- Storage

Door pockets - front
Cup holders: 2

· Sunglasses storage

· Vinyl floor covering

EXTERIOR

Rear Body

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

· Side steps: Silver

· Leather bound park brake

· Rear step bumper: Silver · Tray tie-down points: 6

· Door handles finish: Material black

Bottle holders: 4

Styling



Triton GLX+ 4WD Club Cab / Pick Up (Diesel) 2021 MY (Automatic)



Lights

- Brake lights: LED
 Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen
- Fog lights (front): Halogen
 Headlights low beam: Halogen

Door Mirrors

- · Finish: Material black
- · Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1780
- · Overall length (mm): 5270
- Overall width (mm): 1815
 Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 205
- · Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 24.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2900
- · Kerb mass (kg): 1930

- Kerb mass (kg): 1930
 Gross Combination Mass (GCM) [kg]: 5785
 Maximum payload (kg): 970
 Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3000
 Towing capacity maximum towball load (kg): 300
 Maximum front axle load (kg): 1260
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 924
- 2nd row shoulder room (mm): 1368
 Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430 · 2nd row leg room (mm): 725

Cargo

- · Cargo room width (mm): 1470
- · Width between wheel arches (mm): 1085
- Cargo room length (mm) all seats up: 1850
 Cargo body floor height from ground (mm): 850
 Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLS 4WD 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy
- · Tyre size: 265/60R18 110H
- Spare wheel type: Full size Alloy
- · Wheel size (inches): 18 x 7.5J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 225
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Automatic
 Manual shift mode
- · Paddle shift
- Rear differential lock · Number of speeds: 6
- · Super select II 4WD
- · Gear ratio 1st: 3.600
- · 2nd: 2.090 · 3rd: 1.488
- · 4th: 1.000
- 5th: 0.687
 6th: 0.580
 Reverse: 3.732
- · Final drive ratio: 4.272
- 4WD transfer box High / Low ratio: 1.000 / 2.566
 Selectable off-road modes

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
 Rear suspension: Leaf spring
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 2
- · Smartphone link Display Audio (SDA) with touch screen
- · Android Auto
- · Apple CarPlay
- · Speakers: 6
- Screen size (inches): 7.0
 Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
 AM/FM radio

DISCLAIMER KEY:

equipment, condition and use

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- · Electrochromatic rear view mirror
- Adjustable speed limiter
- · Cruise control
- Speed sensitive intermittent windscreen wipers
 Automatic rain sensing wipers
- · Automatic dusk sensing headlights

Parking Assistance

- · Multi Around Monitor (MAM)
- Front parking sensors
 Rear parking sensors
- · Rear view camera

Seat Belts

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage: 2
- · Child proof rear door locks
- Power window lock driver control passenger windows
- · Child restraint top tether: 2

Airbags

- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
 Curtain SRS airbags
- · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Automatic High Beam (AHB)

- Trailer Stability Assist (TSA)
 Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Blind Spot Warning (BSW)
 Ultrasonic misacceleration Mitigation System (UMS)
 Lane Change Assist (LCA)
 Rear Cross Traffic Alert (RCTA)
 Long Descriture Warning (DW)

- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
 Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Climate control (No of zones): 2
- Roof mounted air circulator
- · Dust and pollen filter

Smart key

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

· Tilt & telescopic steering column

Multifunction steering wheel controls Side and rear window demisters Keyless entry with central door locking

Auto up/down driver control - driver side window

MITSUBISHI MOTORS **Drive vour Ambition**

One touch start system
 Second row seat USB power supply: 2

Accessory socket (12V): 2

Triton GLS 4WD 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



INTERIOR

Seating

- · Premium fabric seat trim
- · Driver's seat manual adjustment · Front passenger's seat manual adjustment
- Leather appointed seats
 Driver's seat power adjustment
- Heated front seats
- · 2nd row centre armrest with cupholders

Storage

- Centre console storage box with lid
 Door pockets front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
 Seat back pocket driver and passenger

Styling

- · Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake
 Carpet floor covering

EXTERIOR

- · Door handles finish: Chrome
- Side steps: Silver · Privacy glass

Rear Body

- Rear step bumper: Silver
 Tray tie-down points: 6

Lights

- · Brake lights: LED
- Daytime Running Lamps (DRL): LED
 Headlight levelling function: Manual
 Headlights high beam: LED

- Fog lights (front): Halogen
 Headlights low beam: LED

Door Mirrors

- · Integrated turn indicator
- · Finish: Chrome
- · Electric adjustment
- Heating function · Electric fold control

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- Departure angle (degrees): 23.0
- Overall height (mm): 1795
 Overall length (mm): 5305
 Overall width (mm): 1815
- · Wheelbase (mm): 3000
- Ground clearance (mm) minimum, unladen: 220
 Approach angle (degrees): 31.0
 Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900
 Kerb mass (kg): 1990
 Gross Combination Mass (GCM) [kg]: 5885

- Maximum payload (kg): 910
 Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
 Maximum front axle load (kg): 1360
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- · 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
 Front leg room (mm): 1067
- · Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

Cargo

- Cargo room width (mm): 1470
 Width between wheel arches (mm): 1085
- · Cargo room length (mm) all seats up: 1520
- Cargo body floor height from ground (mm): 865
 Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLS 4WD 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)



MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy
- · Tyre size: 265/60R18 110H
- Spare wheel type: Full size Alloy
- · Wheel size (inches): 18 x 7.5J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 7.9¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 208
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm Compression ratio: 15.5:1

Transmission

- Type: Manual
 Rear differential lock
- · Number of speeds: 6
- Super select II 4WD
 Gear ratio 1st: 4.280
- · 2nd: 2.298
- · 3rd: 1.437
- 4th: 1.000
 5th: 0.776
- · 6th: 0.651
- · Reverse: 3.959
- Final drive ratio: 3.692
- 4WD transfer box High / Low ratio: 1.000 / 2.566 · Selectable off-road modes

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11 6" I T drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
 Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- · Bluetooth connectivity with voice control & audio streaming
- · HDMI input: 1 · AM/FM radio

DISCLAIMER KEY:

equipment, condition and use.

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- · Electrochromatic rear view mirror
- Adjustable speed limiter
- · Cruise control
- Speed sensitive intermittent windscreen wipers
 Automatic rain sensing wipers
- · Automatic dusk sensing headlights

Parking Assistance

- · Front parking sensors
- Rear parking sensors · Rear view camera

Seat Belts

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage: 2
- Child proof rear door locks
 Power window lock driver control passenger windows · Child restraint top tether: 2

Airbags

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
 Curtain SRS airbags
- · Driver knee airbag

Security

- Auto door lock
- · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Automatic High Beam (AHB) Trailer Stability Assist (TSA)

- Haller Stability Assist (15A)
 Emergency Stop Signal function (ESS)
 Blind Spot Warning (BSW)
 Lane Change Assist (LCA)
 Rear Cross Traffic Alert (RCTA)
 Lane Departure Warning (LDW)
 Forward Collision Mitigation system (FCM) with pedestrian detection
 Hill Descent Control (HDC)

MITSUBISHI MOTORS **Drive vour Ambition**

- · Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
 Electronic Brakeforce Distribution (EBD)
- · Active Stability Control (ASC
- · Active Traction Control (ATC) · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Climate control (No of zones): 2
- · Roof mounted air circulator
- · Dust and pollen filter
- · Tilt & telescopic steering column
- · One touch start system

· Accessory socket (12V): 2

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

- Second row seat USB power supply: 2
- Multifunction steering wheel controls
 Side and rear window demisters
- Keyless entry with central door locking
- Smart key
 Auto up/down driver control driver side window

Triton GLS 4WD 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)



INTERIOR

Seating

- · Premium fabric seat trim
- · Driver's seat manual adjustment · Front passenger's seat manual adjustment
- · 2nd row centre armrest with cupholders

Storage

- · Centre console storage box with lid
- · Door pockets front
- · Cup holders: 4
- Bottle holders: 4 · Sunglasses storage
- Seat back pocket driver and passenger

Styling

- · Leather bound steering wheel
- Leather bound gearshift
 Leather bound park brake
- · Carpet floor covering

EXTERIOR

- · Door handles finish: Chrome
- · Side steps: Silver Privacy glass

Rear Body

· Rear step bumper: Silver Tray tie-down points: 6

Lights

- Brake lights: LED
 Daytime Running Lamps (DRL): LED
 Headlight levelling function: Manual
- Headlights high beam: LED
- Fog lights (front): Halogen
 Headlights low beam: LED

Door Mirrors

- · Integrated turn indicator
- · Finish: Chrome
- · Electric adjustment
- Heating function
- · Electric fold control

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- Departure angle (degrees): 23.0
- Overall height (mm): 1795
 Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 220
- · Approach angle (degrees): 31.0 · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900
 Kerb mass (kg): 1985
 Gross Combination Mass (GCM) [kg]: 5885
- Maximum payload (kg): 915

- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
- Maximum front axle load (kg): 1360
 Maximum rear axle load (kg): 1840

DISCLAIMER KEY:

- 1 These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- MITSUBISHI MOTORS **Drive vour Ambition**

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Interior Dimensions

- · 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390 · Front head room (mm): 1020
- Front leg room (mm): 1067
 Front shoulder room (mm): 1430
- · 2nd row leg room (mm): 860

Cargo

- · Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
 Cargo room length (mm) all seats up: 1520
 Cargo body floor height from ground (mm): 865
- · Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

Triton GSR Hard Tonneau Accessory Pack 4WD Double Cab / Pick Up (Diesel) 2021

MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy (black finish)
- · Tyre size: 265/60R18 110H
- Spare wheel type: Full size Alloy (black finish)
- · Wheel size (inches): 18 x 7.5J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 225
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Automatic
 Manual shift mode
- · Paddle shift
- Rear differential lock · Number of speeds: 6
- · Super select II 4WD
- · Gear ratio 1st: 3.600
- · 2nd: 2.090 · 3rd: 1.488
- · 4th: 1.000
- 5th: 0.687
 6th: 0.580
 Reverse: 3.732
- · Final drive ratio: 4.272
- 4WD transfer box High / Low ratio: 1.000 / 2.566
 Selectable off-road modes

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
 Rear suspension: Leaf spring
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 2
- · Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- · Apple CarPlay
- · Speakers: 6
- Screen size (inches): 7.0
 Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
 AM/FM radio

DISCLAIMER KEY:

equipment, condition and use

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- · Electrochromatic rear view mirror
- Adjustable speed limiter
- · Cruise control
- Speed sensitive intermittent windscreen wipers
 Automatic rain sensing wipers
- · Automatic dusk sensing headlights

Parking Assistance

- · Multi Around Monitor (MAM)
- Front parking sensors
 Rear parking sensors
- · Rear view camera

Seat Belts

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage: 2
- · Child proof rear door locks
- Power window lock driver control passenger windows
- · Child restraint top tether: 2

Airbags

- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
 Curtain SRS airbags
- · Driver knee airbag

Security

· Auto door lock · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Automatic High Beam (AHB)

- Trailer Stability Assist (TSA)
 Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Blind Spot Warning (BSW)
 Ultrasonic misacceleration Mitigation System (UMS)
 Lane Change Assist (LCA)
 Rear Cross Traffic Alert (RCTA)
 Long Descriture Warning (DW)

- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
 Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Climate control (No of zones): 2
- Roof mounted air circulator
- · Dust and pollen filter
- · Tilt & telescopic steering column

Side and rear window demisters Keyless entry with central door locking

Accessory socket (12V): 2

Smart key

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

 One touch start system
 Second row seat USB power supply: 2 Multifunction steering wheel controls

Auto up/down driver control - driver side window

MITSUBISHI MOTORS **Drive vour Ambition**

Triton GSR Hard Tonneau Accessory Pack 4WD Double Cab / Pick Up (Diesel) 2021

INTERIOR

Seating

- · Front passenger's seat manual adjustment
- Leather appointed seats
- · Driver's seat power adjustment · Heated front seats
- · 2nd row centre armrest with cupholders

Storage

- · Centre console storage box with lid
- · Door pockets front
- Cup holders: 4 Bottle holders: 4
- Sunglasses storage
- · Seat back pocket driver and passenger

Styling

- Accent stitching
 Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake · Carpet floor covering

EXTERIOR

- · Roof finish: Black
- · Door handles finish: Black
- Side steps: Black · Privacy glass

Rear Body

- Rear step bumper: Black
 Tray tie-down points: 6

Lights

- · Brake lights: LED
- Daytime Running Lamps (DRL): LED
 Headlight levelling function
 Headlights high beam: LED

- Fog lights (front): Halogen
 Headlights low beam: LED

Door Mirrors

- · Integrated turn indicator
- · Finish: Black
- · Electric adjustment Heating function
- · Electric fold control

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 23.0
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1795
 Overall length (mm): 5305
- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 220
- Approach angle (degrees): 31.0
- · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900
 Kerb mass (kg): 2045
 Gross Combination Mass (GCM) [kg]: 5885

- Maximum payload (kg): 855
 Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
 Maximum front axle load (kg): 1360
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- · 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
 Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

Cargo

- Cargo room width (mm): 1470
 Width between wheel arches (mm): 1085
- · Cargo room length (mm) all seats up: 1520
- Cargo body floor height from ground (mm): 865
 Cargo room height (mm): 475

ADDITIONAL FEATURES AND EQUIPMENT

None

- · Tub liner
- · Tonneau cover: Hard (black finish) · Sports bar: Black

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GSR Roll Top Tonneau Accessory Pack 4WD Double Cab / Pick Up (Diesel) 20

MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy (black finish)
- · Tyre size: 265/60R18 110H
- Spare wheel type: Full size Alloy (black finish)
- · Wheel size (inches): 18 x 7.5J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 225
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Automatic
 Manual shift mode
- · Paddle shift
- · Rear differential lock · Number of speeds: 6
- · Super select II 4WD
- · Gear ratio 1st: 3.600
- · 2nd: 2.090 · 3rd: 1.488
- · 4th: 1.000
- 5th: 0.687
 6th: 0.580
 Reverse: 3.732
- · Final drive ratio: 4.272
- 4WD transfer box High / Low ratio: 1.000 / 2.566
 Selectable off-road modes

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
 Rear suspension: Leaf spring
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 2
- · Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- · Apple CarPlay
- · Speakers: 6
- Screen size (inches): 7.0
 Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

HDMI input: 1
 AM/FM radio

DISCLAIMER KEY:

equipment, condition and use

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- · Electrochromatic rear view mirror
- Adjustable speed limiter
 - · Cruise control
- Speed sensitive intermittent windscreen wipers
 Automatic rain sensing wipers
- · Automatic dusk sensing headlights

Parking Assistance

- · Multi Around Monitor (MAM)
- Front parking sensors
 Rear parking sensors
- · Rear view camera

Seat Belts

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage: 2
- · Child proof rear door locks
- Power window lock driver control passenger windows
- · Child restraint top tether: 2

Airbags

- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
 Curtain SRS airbags

- · Driver knee airbag

Security

- · Auto door lock · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Automatic High Beam (AHB)

- Trailer Stability Assist (TSA)
 Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Blind Spot Warning (BSW)
 Ultrasonic misacceleration Mitigation System (UMS)
 Lane Change Assist (LCA)
 Rear Cross Traffic Alert (RCTA)
 Long Descriture Warning (DW)

- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
 Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Climate control (No of zones): 2
- Roof mounted air circulator
- · Dust and pollen filter

Smart key

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

· Tilt & telescopic steering column

Multifunction steering wheel controls Side and rear window demisters Keyless entry with central door locking

Auto up/down driver control - driver side window

MITSUBISHI MOTORS **Drive vour Ambition**

One touch start system
 Second row seat USB power supply: 2

Accessory socket (12V): 2

Triton GSR Roll Top Tonneau Accessory Pack 4WD Double Cab / Pick Up (Diesel) 20

INTERIOR

Seating

- · Front passenger's seat manual adjustment
- Leather appointed seats
- · Driver's seat power adjustment · Heated front seats
- · 2nd row centre armrest with cupholders

Storage

- · Centre console storage box with lid
- · Door pockets front
- Cup holders: 4
- Bottle holders: 4 Sunglasses storage
- · Seat back pocket driver and passenger

Styling

- Accent stitching
 Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake · Carpet floor covering

EXTERIOR

- · Roof finish: Black
- · Door handles finish: Black
- Side steps: Black · Privacy glass

Rear Body

- Rear step bumper: Black
 Tray tie-down points: 6

Lights

- · Brake lights: LED
- Daytime Running Lamps (DRL): LED
 Headlight levelling function
 Headlights high beam: LED

- Fog lights (front): Halogen
 Headlights low beam: LED

Door Mirrors

- · Integrated turn indicator
- · Finish: Black
- · Electric adjustment
- Heating function · Electric fold control

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 23.0
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1795
 Overall length (mm): 5305

- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 220
- Approach angle (degrees): 31.0
- · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900
 Kerb mass (kg): 2045
 Gross Combination Mass (GCM) [kg]: 5885

- Maximum payload (kg): 855
 Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
 Maximum front axle load (kg): 1360
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- · 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
 Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

Cargo

- Cargo room width (mm): 1470
 Width between wheel arches (mm): 1085
- · Cargo room length (mm) all seats up: 1520
- Cargo body floor height from ground (mm): 865
 Cargo room height (mm): 475

ADDITIONAL FEATURES AND EQUIPMENT

None

- · Tub liner
- · Tonneau cover: Roll top (black finish) · Sports bar: Black

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX-R 4WD 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



MITSUBISH MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy
- · Tyre size: 265/60R18 110H
- Spare wheel type: Full size Alloy
- · Wheel size (inches): 18 x 7.5J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 225
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Automatic
 Manual shift mode
- Easy select 4WD
- Number of speeds: 6
 Gear ratio 1st: 3.600
- · 2nd: 2.090
- · 3rd: 1.488
- 4th: 1.000
 5th: 0.687
- 6th: 0.580
- · Reverse: 3.732
- Final drive ratio: 4.272
- · 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
 Front suspension: Double wishbone with coil spring & stabiliser bar
 Rear suspension: Leaf spring
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- USB input: 2
 Smartphone link Display Audio (SDA) with touch screen
- · Android Auto
- · Apple CarPlay
- · Speakers: 4
- Screen size (inches): 7.0 · Digital Audio Broadcast (DAB) radio
- · Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- · AM/FM radio

SAFETY. SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Electrochromatic rear view mirror
- · Adjustable speed limiter
- Cruise control
- · Speed sensitive intermittent windscreen wipers
- · Automatic rain sensing wipers
- · Automatic dusk sensing headlights

Parking Assistance

- · Rear parking sensors
- · Rear view camera

equipment, condition and use

Seat Belts

DISCLAIMER KEY:

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage
- Child proof rear door locks
- · Power window lock driver control passenger windows · Child restraint top tether
- Airbags
- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- · Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
 Electronic Brakeforce Distribution (EBD)
- · Active Stability Control (ASC)
- Active Traction Control (ATC)
 Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- Climate control (No of zones): 1
- Roof mounted air circulator
- Dust and pollen filter
- · Tilt & telescopic steering column
- · Multifunction steering wheel controls
- · Side and rear window demisters
- Keyless entry with central door locking
 Auto up/down driver control driver side window
- · Accessory socket (12V): 2

INTERIOR

Seating

Storage

Styling

· Door pockets - front Cup holders: 4

· Leather bound park brake · Carpet floor covering

· Door handles finish: Chrome · Side steps: Silver

· Rear step bumper: Silver

Tray tie-down points: 6

· Bottle holders: 4

EXTERIOR

Rear Body

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

- · Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- · Fabric seat trim · 2nd row centre armrest with cupholders

Centre console storage box with lid

Sunglasses storage
 Seat back pocket - driver and passenger



Triton GLX-R 4WD 4WD Double Cab / Pick Up (Diesel) 2021 MY (Automatic)



Lights

- Brake lights: LED
 Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen
- Fog lights (front): Halogen
 Headlights low beam: Halogen

Door Mirrors

- · Finish: Chrome
- · Electric adjustment
- Heating function

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 23.0
- Turning circle, kerb to kerb (m): 11.8
- · Overall height (mm): 1795
- Overall length (mm): 5305
 Overall width (mm): 1815
- Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 220
- Approach angle (degrees): 31.0
 Ramp breakover angle (degrees): 24.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2900
- Kerb mass (kg): 1961
 Gross Combination Mass (GCM) [kg]: 5885
- Maximum payload (kg): 939
- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
 Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

Interior Dimensions

- 2nd row head room (mm): 970
 2nd row shoulder room (mm): 1390
- · Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
 2nd row leg room (mm): 860

Cargo

- · Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085 Cargo room length (mm) all seats up: 1520 Cargo body floor height from ground (mm): 865
- · Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GLX-R 4WD 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)



MITSUBISHI MOTORS **Drive vour Ambition**

MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy
- · Tyre size: 265/60R18 110H
- Spare wheel type: Full size Alloy
- · Wheel size (inches): 18 x 7.5J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 7.9¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 208
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Manual
 Easy select 4WD
- · Number of speeds: 6
- Gear ratio 1st: 4.280
 2nd: 2.298
- · 3rd: 1.437
- · 4th: 1.000
- · 5th: 0.776 · 6th: 0.651
- · Reverse: 3.959
- Final drive ratio: 3.692
 4WD transfer box High / Low ratio: 1.000 / 2.566

Chassis

- · Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- · Front suspension: Double wishbone with coil spring & stabiliser bar
- · Rear suspension: Leaf spring
- Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
 Android Auto
- Apple CarPlay
- Speakers: 4
- Screen size (inches): 7.0
 Digital Audio Broadcast (DAB) radio
- · Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
 AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Driver Assistance

- · Electrochromatic rear view mirror
- Adjustable speed limiter
- · Cruise control
- Speed sensitive intermittent windscreen wipers
 Automatic rain sensing wipers
 Automatic dusk sensing headlights

Parking Assistance

- Rear parking sensors
- Rear view camera

equipment, condition and use

Seat Belts

DISCLAIMER KEY:

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage
- Child proof rear door locks
- · Power window lock driver control passenger windows · Child restraint top tether

Airbags

- · Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- · Driver knee airbag

Security

- · Auto door lock
- · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- · Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
 Electronic Brakeforce Distribution (EBD)
- · Active Stability Control (ASC)
- Active Traction Control (ATC)
 Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- Climate control (No of zones): 1
- Roof mounted air circulator
- Dust and pollen filter
- · Tilt & telescopic steering column
- · Multifunction steering wheel controls
- · Side and rear window demisters
- Keyless entry with central door locking
 Auto up/down driver control driver side window
- · Accessory socket (12V): 2

· Door pockets - front

· Leather bound park brake · Carpet floor covering

· Door handles finish: Chrome

· Rear step bumper: Silver Tray tie-down points: 6

Cup holders: 4 · Bottle holders: 4

EXTERIOR

Rear Body

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

Side steps: Silver

INTERIOR

- Seating
- · Driver's seat manual adjustment
- · Front passenger's seat manual adjustment · Fabric seat trim
- · 2nd row centre armrest with cupholders

Sunglasses storage
 Seat back pocket - driver and passenger

Centre console storage box with lid

Storage

Styling



Triton GLX-R 4WD 4WD Double Cab / Pick Up (Diesel) 2021 MY (Manual)



Lights

- Brake lights: LED
 Daytime Running Lamps (DRL): Halogen
 Headlights high beam: Halogen
- Fog lights (front): Halogen
 Headlights low beam: Halogen

Door Mirrors

- · Finish: Chrome
- · Electric adjustment
- Heating function

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 23.0
- Turning circle, kerb to kerb (m): 11.8
- · Overall height (mm): 1795
- Overall length (mm): 5305
 Overall width (mm): 1815
- Wheelbase (mm): 3000
- · Ground clearance (mm) minimum, unladen: 220
- Approach angle (degrees): 31.0
 Ramp breakover angle (degrees): 24.0

Weights and Capacities

- · Gross Vehicle Mass (GVM) [kg]: 2900
- Kerb mass (kg): 1961
 Gross Combination Mass (GCM) [kg]: 5885
- Maximum payload (kg): 939

- Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
 Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

Interior Dimensions

- 2nd row head room (mm): 970
 2nd row shoulder room (mm): 1390
- · Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
 2nd row leg room (mm): 860

Cargo

- · Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085 Cargo room length (mm) all seats up: 1520 Cargo body floor height from ground (mm): 865

· Cargo room height (mm): 475

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.



Triton GSR Soft Tonneau Accessory Pack 4WD Double Cab / Pick Up (Diesel) 2021 M

MECHANICAL

Wheels and Tyres

- · Wheel type: Alloy (black finish)
- · Tyre size: 265/60R18 110H
- Spare wheel type: Full size Alloy (black finish)
- · Wheel size (inches): 18 x 7.5J

Engine

- Size (L): 2.4L
 Fuel tank capacity (L): 75
 Fuel consumption (ADR 81/02 L/100km): 8.6¹
 Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
 CO2 emissions (g/km): 225
 Bore x Stroke (mm): 86.0 x 105.1
 Displacement (mp): 2442

- · Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

Transmission

- Type: Automatic
 Manual shift mode
- · Paddle shift
- · Rear differential lock · Number of speeds: 6
- · Super select II 4WD
- · Gear ratio 1st: 3.600
- · 2nd: 2.090 · 3rd: 1.488
- · 4th: 1.000
- 5th: 0.687
 6th: 0.580
 Reverse: 3.732
- · Final drive ratio: 4.272
- 4WD transfer box High / Low ratio: 1.000 / 2.566
 Selectable off-road modes

Chassis

- · Front brakes: Ventilated disc
- · Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
 Rear suspension: Leaf spring
- · Underbody guard (heavy duty)

AUDIO AND MULTIMEDIA

- · USB input: 2
- · Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- · Apple CarPlay
- · Speakers: 6
- Screen size (inches): 7.0
 Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
 AM/FM radio

DISCLAIMER KEY:

equipment, condition and use

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- · Electrochromatic rear view mirror
- Adjustable speed limiter
 - · Cruise control
- Speed sensitive intermittent windscreen wipers
 Automatic rain sensing wipers
- · Automatic dusk sensing headlights

Parking Assistance

- · Multi Around Monitor (MAM)
- Front parking sensors
 Rear parking sensors
- · Rear view camera

Seat Belts

· Front seat belt pretensioners

Child Safety

- · ISO-Fix child seat anchorage: 2
- · Child proof rear door locks
- Power window lock driver control passenger windows
- · Child restraint top tether: 2

Airbags

- Driver & front passenger SRS airbags
 Driver & front passenger side SRS airbags
 Curtain SRS airbags

- · Driver knee airbag

Security

- · Auto door lock · Encrypted engine immobiliser

Active Safety

- · Brake Override System (BOS)
- Automatic High Beam (AHB)

- Trailer Stability Assist (TSA)
 Trailer Stability Assist (TSA)
 Emergency Stop Signal function (ESS)
 Blind Spot Warning (BSW)
 Ultrasonic misacceleration Mitigation System (UMS)
 Lane Change Assist (LCA)
 Rear Cross Traffic Alert (RCTA)
 Long Descriver Warning (DNU)

- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
 Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
- · Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
 Active Traction Control (ATC)
- · Hill Start Assist (HSA)
- · Emergency Brake Assist system (EBA)

COMFORT AND CONVENIENCE

Air Conditioning

- · Climate control (No of zones): 2
- Roof mounted air circulator
- · Dust and pollen filter

Smart key

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's

2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

· Tilt & telescopic steering column

Multifunction steering wheel controls Side and rear window demisters Keyless entry with central door locking

Auto up/down driver control - driver side window

MITSUBISHI MOTORS **Drive vour Ambition**

One touch start system
 Second row seat USB power supply: 2

Accessory socket (12V): 2

Triton GSR Soft Tonneau Accessory Pack 4WD Double Cab / Pick Up (Diesel) 2021

INTERIOR

Seating

- · Front passenger's seat manual adjustment
- Leather appointed seats
- · Driver's seat power adjustment · Heated front seats
- · 2nd row centre armrest with cupholders

Storage

- · Centre console storage box with lid
- · Door pockets front
- Cup holders: 4 Bottle holders: 4
- Sunglasses storage
- · Seat back pocket driver and passenger

Styling

- Accent stitching
 Leather bound steering wheel
- Leather bound gearshift Leather bound park brake
- · Carpet floor covering

EXTERIOR

- · Roof finish: Black
- · Door handles finish: Black
- Side steps: Black · Privacy glass

Rear Body

- Rear step bumper: Black
 Tray tie-down points: 6

Lights

- · Brake lights: LED
- Daytime Running Lamps (DRL): LED
 Headlight levelling function
 Headlights high beam: LED

- Fog lights (front): Halogen
 Headlights low beam: LED

Door Mirrors

- · Integrated turn indicator
- · Finish: Black
- · Electric adjustment
- Heating function · Electric fold control

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- · Departure angle (degrees): 23.0
- Turning circle, kerb to kerb (m): 11.8
 Overall height (mm): 1795
 Overall length (mm): 5305
- · Overall width (mm): 1815
- Wheelbase (mm): 3000
 Ground clearance (mm) minimum, unladen: 220
- Approach angle (degrees): 31.0
- · Ramp breakover angle (degrees): 25.0

Weights and Capacities

- Gross Vehicle Mass (GVM) [kg]: 2900
 Kerb mass (kg): 2045
 Gross Combination Mass (GCM) [kg]: 5885

- Maximum payload (kg): 855
 Towing capacity unbraked (kg): 750
 Towing capacity braked (kg): 3100
 Towing capacity maximum towball load (kg): 310
 Maximum front axle load (kg): 1360
 Maximum rear axle load (kg): 1840

Interior Dimensions

- · 2nd row head room (mm): 970
- · 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
 Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

Cargo

- Cargo room width (mm): 1470
 Width between wheel arches (mm): 1085
- · Cargo room length (mm) all seats up: 1520
- Cargo body floor height from ground (mm): 865
 Cargo room height (mm): 475

ADDITIONAL FEATURES AND EQUIPMENT

None

- · Tub liner
- · Tonneau cover: Soft · Sports bar: Black

Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, GSR Hard Tonneau Accessory Pack, GSR Roll Top Tonneau Accessory Pack, GLX-R 4WD and GSR Soft **Tonneau Accessory Pack**

DISCLAIMER KEY:

1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on may factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.

