

Item	Part No.	Description	Qty.	Wt.	Item	Part No.	Description	Qty.	Wt.	Item	Part No.	Description	Qty.	Wt.	Item	Part No.	Description	Qty.	Wt.	

TEREX CRANES
WAVERLY OPERATIONS

Waverly, Iowa 50677

Spec. 2500 Tolerancing | Spec. 2117 Welding

Remove Objectionable Weld Splatter, Burns & Sharp Edges

Model: **LRT400/RT300/RT400**

DRAWN ON: AUTOCAD PRO/ENGINEER EUCLID 3 OTHER

SIZE: **E**

ELEC. SCHEMATIC, UPPER

REV. A	1/24/92	SEE ECN	V205
REV. --	11/9/90	PRODUCTION RELEASE	W465
REV. LET.		CHANGE	E.C.N.

NOTICE: Information confidential, proprietary information of Terex Cranes. Any person accepting is required to accept same information in confidence and agrees to make no disclosures or use thereof except as authorized by Terex Cranes.


Concentricity of Cylindrical Machined Surfaces to be kept to within .010 T.I.R. and Parallelism or Angularity between Machined Surfaces and/or Drilling or Boring Center Lines to be kept within .007" - .010" (0.02 per in.) unless otherwise specified.

DRAWN	RDW	DATE	11/9/90	SCALE	NTS
CHK'D	KS	DATE	11/9/90		Do Not Scale Print
APP'D		DATE			WT.

MATERIAL LISTED

PRODUCT: TEREX MARKLIFT OTHER



TITLE	NUMBER	REV.	SHEET
ELEC. SCHEMATIC, UPPER	703 1394	A	1



TRANS SHIFT WIRING

LISTED ARE WIRES THAT ARE HOT RELATIVE TO THE GEAR SELECTOR POSITION

E1	27 A BLUE 91 A YELLOW	E4	28 A BROWN 68 A RED 33 A GREEN	N	30 A BLACK	R3	69 A BLACK 32 A YELLOW 33 A GREEN 31 A RED 58 A BLUE
E2	27 A BLUE 68 A RED	E5	69 A BLACK 91 A YELLOW 33 A GREEN	R1	27 A BLUE 32 A YELLOW 31 A RED 58 A BLUE		
E3	28 A BROWN 91 A YELLOW	E6	69 A BLACK 68 A RED 33 A GREEN	R2	28 A BROWN 32 A YELLOW 31 A RED 58 A BLUE		



Item	Part No.	Description	Qty.	Wt.	Item	Part No.	Description	Qty.	Wt.	Item	Part No.	Description	Qty.	Wt.

TEREX CRANES
WAVERLY OPERATIONS
Waverly, Iowa 50677

Model: RT 400

PRODUCT: LORAIN MARKLIFT OTHER

DRAWN ON: AUTOCAD PRO/ENGINEER EUCLID 3 OTHER


TITLE: ELECTRICAL SCHEMATIC

703 1444

REV. 1

6-9-97 PRODUCTION RELEASE S499

NOTICE: Information confidential, proprietary information of Terex Cranes. Any person accepting is required to accept some information in confidence and agrees to make no disclosures or use thereof except as authorized by Terex Cranes. Concentricity of Cylindrical Machined Surfaces to be kept to within .010 T.I.R. and Parallelism or Angularity between Machined Surfaces and/or Drilling or Boring Center Lines to be kept within 0° - 7' (.002 per in.) unless otherwise specified.



- NOTE:**
- 230 GAL (EST) SYSTEM VOLUMEN
 - ENGINE SPEC: 177 HP GROSS @2500 RPM FULL LOAD GOV.
 - USE 3,000 PSI WHEN 4:1 SF IS REQUIRED FOR HOSES.



Waverly, Iowa 50677

Spec. 2500 Tolerancing	Spec. 2117 Welding
Remove Objectionable Weld Spatter, Burns & Sharp Edges	
Model	LRT400D/RT400
Drawn On:	<input checked="" type="checkbox"/> AUTOCAD <input type="checkbox"/> PRO/ENGINEER <input type="checkbox"/> EUCLID 3 <input type="checkbox"/> OTHER

B	1/5/96	ADDED NOTE 3	T128
A	8/31/92	SEE NOTICE	U717
--	5/7/92	PRODUCTION RELEASE	V136
REV. LET.	L.E.N. DATE	CHANGE	ALL CHANGES MUST BE MADE ON CAD. E.C.N.

NOTICE: Information confidential, proprietary information of Terex Cranes. Any person accepting is required to accept same information in confidence and agrees to make no disclosures or use thereof except as authorized by Terex Cranes.

Concentricity of Cylindrical Machined Surfaces to be kept to within .010 T.I.R. and Parallelism or Angularity between Machined Surfaces and/or Drilling or Boring Center Lines to be kept within 0° - 7' (.002 per in.) unless otherwise specified.

DRAWN	RDW	DATE	2/27/92	SCALE	NTS
CHKD	DLW	DATE	2/27/92	Do Not Scale Print	
APPD		DATE		WT.	
MATERIAL LISTED					
PRODUCT:	<input checked="" type="checkbox"/> TEREX	<input type="checkbox"/> MARKLIFT	<input type="checkbox"/> OTHER		

Item	Part No.	Description	Qty.	Wt.	Item	Part No.	Description	Qty.	Wt.	Item	Part No.	Description	Qty.	Wt.	Item	Part No.	Description	Qty.	Wt.	

